



— paro\_2



# Austria's most popular office chair.

More than 500,000 people have already chosen *paro*, making it the No. 1 office chair in Austria. The office chair family *paro\_2* is the update of this bestseller.

*paro\_2* offers even more functions and excellent seating comfort – at a consistently high quality level and an extremely attractive price.



# All-rounder at an unbeatable price.

Height-adjustable backrest as standard for the upholstered and mesh back version

Ergonomic and visually attractive mesh with integral edge protection for the backrest (patent application filed)

Several arm options available for multidimensional adjustability

Easy and quick adjustment of the synchro-mechanism enables an exact adaptation to the individual user's body weight

Integral seat depth adjustment via sliding seat

Bigger castors (60 mm) for lower rolling friction and smoother running

Different mesh options and a wide range of upholstery fabrics

High quality seat upholstery for perfect seating comfort

Three stackable cantilever models as the perfect complement for offices and meeting rooms



# Full backing for your well-being.


Suits everyone.  
On request even automatically.



## Height-adjustable backrest provides perfect support from the lumbar region up to the thoracic vertebrae - also for the mesh back version


At the touch of a button the height of the back can be adjusted on both the upholstered and the mesh versions. This ensures ergonomic support over the whole area of the back, as well as exact adaptation to each user's body shape from the lumbar spine to the thoracic vertebrae.

For the upholstered back version, an additional lumbar support option is available if desired. In addition to the standard backrest, a higher backrest model has been included in the range so that tall persons, too, are afforded full back support.




Optimum support in the area of the thoracic vertebrae.

Optimum support in the area of the lumbar spine.



*paro\_2* swivel chair with mesh back



Office chair without height-adjustable back with additional lumbar support option

■ Active support of the back



## Office chair with automatic weight adjustment

In addition to the standard synchro-mechanism, *paro\_2* is optionally available with a mechanism for automatic weight adjustment. This is the perfect choice if several people use the same chair, for example in the case of desk sharing or shift working.

The self-adjusting mechanism adapts the backrest pressure automatically to the respective body weight. Manual adjustment is no longer necessary, although fine adjustment in two positions is possible.



As individual as your office.

With its different mesh and upholstery versions, the *paro\_2* office chair family offers a comprehensive range of functional and aesthetic options. The series is complemented by versatile cantilever chairs that are both well priced and attractively designed.





# Rich in detail.

# Optional.



**Adjusting the height of the backrest.**  
The height of the backrest can be adapted to various body sizes. Thus the back is perfectly supported.



**Adjusting the seat depth.**  
The seat depth can be easily adapted to suit the user's body size via the sliding seat.



**Adjusting the infinitely variable seat height.**  
The seat height is infinitely adjustable by means of a gas spring compliant with DIN 4550 and depth suspension.



**Finely harmonised movements - with only one turn.**  
Thanks to the user-friendly and quick tension spring adjustment you can adapt the backrest pressure to your body weight, thus ensuring finely harmonised movements of the seat and back. The synchronised mechanism can be locked in several positions. Optional: forward seat tilt 3°.



**Arm options.**  
The chair can be supplied with height and width adjustable arms or multifunctional arms, which are additionally adjustable in depth and have swivelling armpads.



**Ready to go.**  
On request, *para\_2* is delivered flat-packed: this saves space on shipping and saves the environment. Assembling is easily accomplished within a few minutes.



Swivel chair	Swivel chair with high backrest	Swivel chair	Swivel chair with high backrest
- 5220-101 assembled - 5220-501 flat-pack - 5220-901 antistatic swivel chair - seat upholstered, back with mesh H 960-1135 / SH 415-530 / W/D 770	- 5222-101 assembled - 5222-501 flat-pack - seat upholstered, back with mesh H 1070-1245 / SH 415-530 / W/D 770	- 5224-103 assembled - 5224-503 flat-pack - 5224-903 antistatic swivel chair - seat and back upholstered H 960-1135 / SH 415-530 / W/D 770	- 5226-103 assembled - 5226-503 flat-pack - seat and back upholstered H 1060-1235 / SH 415-530 / W/D 770



Swivel chair with neckrest (optional)	Check-out chair	Stool
- 5222-101 assembled - seat upholstered, back with mesh H 1270-1490 / SH 415-530 / W/D 770	- 5228-103 montiert - seat and back upholstered H 1010-1130 / SH 625-745 / W/D 640	- 5229-101 - seat upholstered SH 427-573 / W/D 510

H = total height / SH = seat height / W = width / D = depth (dimensions in mm)

**Net mesh back:**



**Standard models:**

**Swivel chairs *para\_2*:**

Swivel base black plastic. Braked dual castors with hard running surface, Ø 60 mm. Black plastic operating elements and arms.  
Back either covered with mesh (Trevira CS, 100 % polyester) or upholstered. N.B. Backrests upholstered in fabric or synthetic leather always have a black fabric outer back (Trevira CS, 100 % polyester). On leather upholstered models the inner and outer back are the same.

**Functions:**

Synchro-mechanism with lateral tension control (from 40 to 120 kg), lockable in several positions. Seat height adjustment via gas spring acc. to DIN 4550 and depth suspension. Seat height adjustment via sliding seat (range of adjustment: 50 mm). Height-adjustable backrest (range of adjustment: 50 mm).

**Options (surcharges apply):**

Synchro-mechanism with 3 degrees forward seat tilt, mechanism with automatic weight adjustment, adjustable neck-

rest (5222 and 5226), adjustable lumbar support (5224 and 5226), aluminium swivel base.

**Arm options:**

**Height-adjustable arms:**  
Adjustable in height and width, with soft armpads. Arm supports either black plastic or polished aluminium.  
**Multifunctional arms:**  
Swivelling, soft armpads, adjustable in height, width and depth. Arm supports either black plastic or polished aluminium.

**Antistatic swivel chair (5220 and 5224):**

Antistatic model compliant with EN 61340. Aluminium swivel base. Antistatic arms adjustable in height and width, with soft armpads, arm supports polished aluminium (optional). Upholstery only with antistatic fabric covers from the „antistatic“ collection. Back covered with black mesh and/or with antistatic fabric cover from the Wiesner-Hager collection. Outer back upholstered like inner back. Other equipment same as above.

**Check-out chair 5228:**

Swivel base black plastic, plastic glides. Foot ring Ø 45 cm, chrome. Black plastic operating elements. Backrest upholstered. Rear of backrest: for models with fabric or synthetic leather upholstery, outer back is always with black fabric (Trevira CS, 100 % polyester); for models with leather upholstery outer back is same as inner back.

**Functions:**

Synchro-mechanism with lateral tension control (from 40 to 120 kg), lockable in several positions. Seat height adjustment via gas spring acc. to DIN 4550 and depth suspension. Seat depth adjustment via sliding seat (range of adjustment: 50 mm). Height-adjustable backrest (range of adjustment: 50 mm).

**Stool 5229:**

Black plastic five-star swivel base. load-dependent braked castors twin wheel castors with hard running surface. Black plastic operating elements.

**Functions:** Height of seat adjustable through gas spring acc. to DIN 4550, depth suspension.





# paro\_24/7

## 24/7 support for your office.



In call centres, control rooms and in multishift operation, workplaces are occupied 24 hours a day, 7 days a week. Swivel chairs in continuous operation are subjected to above-average wear. With *paro\_24/7* Wiesner-Hager has developed a swivel chair specifically for round-the-clock use. Moreover, thanks to a range of particularly hardwearing fabrics and its robust mechanics the chair has a loadbearing capacity of up to 150 kg. However the typical look of the *paro\_2* product family remains unchanged. The *paro\_24/7* is simple to operate, making it particularly user-friendly.

Design: neunzig° design

# Optional.



### Swivel chair

- 5221-101 assembled
- seat upholstered, back with mesh
- H 960-1135 / SH 415-530 / W/D 770



### Swivel chair with high backrest

- 5223-101 assembled
- seat upholstered, back with mesh
- H 1070-1245 / SH 415-530 / W/D 770



### Swivel chair with neckrest (optional)

- 5223-101 assembled
- seat upholstered, back with mesh
- H 1270-1490 / SH 415-530 / W/D 770



### Swivel chair

- 5225-103 assembled
- seat and back upholstered
- H 960-1135 / SH 415-530 / W/D 770



### Swivel chair with high backrest

- 5227-103 assembled
- seat and back upholstered
- H 1060-1235 / SH 415-530 / W/D 770



### Swivel chair with neckrest (optional)

- 5227-103 assembled
- seat and back upholstered
- H 1260-1480 / SH 415-530 / W/D 770

H = total height / SH = seat height / W = width / D = depth (dimensions in mm)

### Net mesh back:



black

### Standard models:

Swivel base aluminium. Load-dependently braked twin wheel castors with hard running surface, Ø 60 mm. Operating elements black plastic. Backrest either covered with mesh (Trevira CS, 100 % polyester) or upholstered. Rear of backrest: for models with fabric or synthetic leather upholstery, outer back is always with black fabric (Trevira CS, 100 % polyester); for models with leather upholstery outer back is same as inner back.

### Functions:

Synchro-mechanism with lateral tension control (up to 150 kg), lockable in several positions. Seat height adjustment via gas spring acc. to DIN 4550 and depth suspension. Seat depth adjustment via sliding seat (range of adjustment: 50 mm). Height-adjustable backrest (adjustment range: 50 mm). Synchro-mechanism with forward seat tilt – seat can be tilted 5 degrees forwards.

### Optional extras (surcharges apply):

Adjustable neckrest (5223 and 5227), adjustable lumbar support (5225 and 5227).

### Arm options (surcharges apply):

**Height-adjustable arms:** Adjustable in height and width, with soft arm pads. Polished aluminium supports.

### Multifunctional arms:

Swivelling, soft arm pads, adjustable in height, width and depth. Polished aluminium arm supports.



Tested according to:  
EN 1335  
BS 5459





# Optional.




Cantilever chair	Cantilever chair	Cantilever chair	Cantilever chair
- 6232-101 - seat upholstered, back with mesh H 920 / SH 445 / W 590 / D 610	- 6234-103 - seat and back upholstered H 930 / SH 445 / W 590 / D 650	- 6237-101 - seat upholstered, back with mesh H 920 / SH 437 / W 535 / D 630	- 6238-103 - seat and back upholstered H 920 / SH 437 / W 535 / D 630

H = total height / SH = seat height / W = width / D = depth (dimensions in mm)



**Cantilever chair**  
- 6236-203  
- seat shell fully upholstered  
H 890 / SH 455 / W 540 / D 605

**Stacking:**  
max. 4 chairs.  
Suitable means of transport:  
transport trolley  
6491-000.



Model 6232    Model 6234    Model 6237    Model 6238    Model 6236

**Net mesh back:**



Black



**Standard models:**

**Cantilever chair 6232/6237:**  
precision tubular steel frame, plastic glides. Backrest covered with mesh (Trevira CS, 100 % polyester). Metal surface powder-coated. Model 6232: Arms with black plastic arm pads.

**Cantilever chair 6234/6238:**  
precision tubular steel frame, plastic glides. Upholstered backrest. Rear of backrest: for models with fabric or synthetic leather upholstery, outer back is always with black fabric (Trevira CS, 100 % polyester); for models with leather upholstery outer back is same as inner back. Metal surface powdercoated. Model 6234: Arms with black plastic arm pads.

**Cantilever chair 6236:**  
Precision tubular steel frame, plastic glides. Seat shell fully upholstered. Outer back: models covered with fabric or synthetic leather always black fabric cover (Trevira CS, 100 % polyester), in case of leather upholstered models same as inner back. Metal surface powder-coated. Arms with black plastic arm pads.



# Perfect Partners.



etio



foxx



yuno Office

A-4950 Altheim  
Linzer Strasse 22  
T +43 (7723) 460-0  
altheim@wiesner-hager.com

D-97080 Würzburg  
Schürerstrasse 3  
T +49 (931) 3 55 85-0  
wuerzburg@wiesner-hager.com

NL-6101 XB Echt  
Nobelweg 17  
T +31 (475) 41 02 22  
benelux@wiesner-hager.com

F-67201 Eckbolsheim  
13, rue Ettore Bugatti  
T +33 (3) 88 59 90 90  
F +33 (3) 88 59 90 89  
france@wiesner-hager.com

UK: Wiesner-Hager Ltd.  
london@wiesner-hager.com

CZ-150 00 Praha 5  
Drtinova 557/10  
T +420 271 730 444  
praha@wiesner-hager.com

Certified acc. to:  
ISO 9001, ISO 14001  
and ISO 14025

The quickest way to  
healthy sitting.



03 - 2022-EN